
Dr. Wolfgang Feist 64342 Darmstadt GERMANY

Passive House Institute

Certified Passive House Component
ID: 1078cs03 valid until 31. December 2018

Aditional thermal bridges

Name	Thermal bridge	\mathbf{f}_{Rsi}	Description
EWPA01	X = 0.001 W/(mK)	0,97	Steel fastening screw through external wall build-up
ROPA01	X = 0.001 W/(mK)	0,97	Steel fastening screw through roof build-up
BCEW02	$\Psi = 0.001 \text{ W/(mK)}$	0,90	Floor slab to external wall 02
WITH02	$\Psi = 0.081 \text{ W/(mK)}$	0,78	Threshold 02, Uw(installed) = 0,84 W/m ² K



Category Construction system | Lightweight timber construction

Manufacturer Wood Steel Constructor d.o.o.

Belgrade SERBIA

Product name Wood Steel Constructor

This certificate for the cool, temperate climate zone was awarded based on the following criteria

Hygiene criterion

The minimum temperature factor of the interior surfaces is $f_{Rsi=0,25m^2K/W} \ge 0,70$

Comfort criterion

The U-value of the installed windows is $U_{W,i} \le 0.85 \, \text{W/(m^2K)}$

Efficiency criteria

Heat transfer coefficient of building envelope Temperature factor of opaque junctions

Thermal bridge-free design for key connection details

An airtightness concept for all components and connection details was provided

CERTIFIED
COMPONENT
Passive House Institute

0,15 W/(m²K)

0,01 W/(mK)

0,86

U*f_{PHI} ≤

Ψ≤

f_{Rsi=0,25m²K/W} ≥

Page 4/4 cool, temperate climate

www.passivehouse.com www.passivehouse.com

Phone: | +381 629 733 316 | info@woodsteelhouse.com www.woodsteelhouse.com

Opaque building envelope

Wood Steel Constructor is a timber frame construction system. The external walls comprise solid timber studs and wood fibre insulation (Schneider Flex 50, 0.039 W/(mK); Schneider Wall 180, 0.045 W/(mK)). The walls are designed to be used with a render finishing system to the exterior; where a rainscreen is used, additional point thermal bridges may need to be taken into account in the PHPP. The pitched roof comprises solid timber beams and wood fibre insulation (Schneider Flex 50, as above; Schneider Top 180, 0.045 W/(mK)). The floor slab has been designated as an unheated basement ceiling, comprising EPS forms (0.038 W/(mK)) suspended between reinforced concrete beams, topped with poured concrete, pressureresistant wood fibre insulation (Schneider Floor 220, 0.049 W/(mK)) and cement screed. The system has undergone analysis by the Passive House Institute against the thermal performance criteria for the cooltemperate climate zone.

Windows


Analysis was undertaken using a generic, passive house-standard timber-framed, triple-glazed window unit, featuring "Superspacer Triseal" thermal performance values for the spacer. Felxible PUR insulation (ISO Bloco One, 0.048 W/(mK)) is used at the window installations. The calculations undertaken demonstrate that the window installation locations are suited to the cool-temperate climate zone, with no risk of surface condensation.


Airtightness concept

The airtightness of the construction system is achieved through the use of an airtight membrane in the wall, roof and floor build-ups, to the inside of the structural elements. Connections are taped using specialist air tightness tape.

Explanatory notes

The Passive House Institute has defined international component criteria for seven climate zones based on hygiene, comfort and affordability criteria. In principle, components which have been certified for climate zones with higher requirements may also be used in climates with less stringent requirements. Their use might make economic sense in certain circumstances.





Page 2/4 Wood Steel Constructor | ID: 1078cs03 Wood Steel Constructor | ID: 1078cs03 Page 3/4